	Application No.	Applicant(s)	
Notice of Allowability	10/823,660	KONDO ET AL.	and
	Examiner	Art Unit	((/x-
	DAVID VU	2818	
The MAILING DATE of this communication appear All claims being allowable, PROSECUTION ON THE MERITS IS (herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGOT OF THE OFFICE OFFICE OF THE OFFICE	OR REMAINS) CLOSED or other appropriate comm GHTS. This application is	in this application. If not include nunication will be mailed in due	ed course. THIS
1. This communication is responsive to <u>06/01/05</u> .			
2. The allowed claim(s) is/are 16-22.			
3. The drawings filed on are accepted by the Examiner			
 4. Acknowledgment is made of a claim for foreign priority un a) All b) Some* c) None of the: Certified copies of the priority documents have Certified copies of the priority documents have Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" on the complexity of the priority documents have The pri	been received. been received in Applicat cuments have been receive	ion No ed in this national stage applica	
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be submit INFORMAL PATENT APPLICATION (PTO-152) which give	itted. Note the attached Exes reason(s) why the oath	KAMINER'S AMENDMENT or Nor declaration is deficient.	IOTICE OF
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") muss (a) ☐ including changes required by the Notice of Draftspers 1) ☐ hereto or 2) ☐ to Paper No./Mail Date (b) ☐ including changes required by the attached Examiner's Paper No./Mail Date 06/12/05. Identifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the such sheet. 	on's Patent Drawing Reviews S Amendment / Comment 84(c)) should be written on the header according to 37 C	or in the Office action of the drawings in the front (not the CFR 1.121(d).	
7. DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT	sit of BIOLOGICAL MA [*] FOR THE DEPOSIT OF B	TERIAL must be submitted. I FIOLOGICAL MATERIAL.	Note the
 Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 04/14/04 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material 	6. ☐ Interview Paper No 98), 7. ☐ Examiner	Informal Patent Application (PTGSummary (PTO-413), b./Mail Date 's Amendment/Comment 's Statement of Reasons for Allow	owance

Application/Control Number: 10/823,660 Page 2

Art Unit: 2818

DETAILED ACTION

Drawings

1. Figures 5A, 5B, 6A, 6B should be designated by a legend such as --Prior Art-- because only that which is old is illustrated. See MPEP § 608.02(g). A proposed drawing correction or corrected drawings are required in reply to the Office action to avoid abandonment of the application. The objection to the drawings will not be held in abeyance.

Election/Restrictions

- 2. Applicant's election without traverse of Group I (Claims 16-22), in the reply filed on 06/01/2005, is acknowledged.
- 3. This application is in condition for allowance except for the presence of claims 1-15 non-elected without traverse. Accordingly, claims 1-15 have been cancelled.
- 4. Cancel claims 1-15.

Allowable Subject Matter

5. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

US Pat. 6,255,640 – discloses a solid-state image sensing device which comprises a light receiving sensor unit for making the photoelectric conversion on a substrate, an interlayer film having a recess above the light receiving sensor unit, and an intra-layer color filter.

- 6. Claims 16-22 are allowed.
- 7. The following is an examiner's statement of reason for allowance: the prior art of record, either singularly or in combination, does not disclose or suggest a solid state imaging device comprising: a low refractive index layer covering micro lenses, low refractive index layer having a refractive index lower than a refractive index of micro lenses, as instantly claimed and in combination with the remaining elements.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance".

Conclusion

8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to David Vu whose telephone number is 571-272-1798. The examiner can normally be reached on Monday-Friday 8:00am-5:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Nelms can be reached on 571-272-1787. The fax phone numbers for the organization where this application or proceeding is assigned is (703) 872-9306.

Art Unit: 2818

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR, Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

David Vu

Primary Examiner